## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of	)	Art Unit: Unassigned
Hideomi SUZAWA et al.	)	Examiner: Unassigned
Serial No. 10/086,628	)	CERTIFICATE OF MAILING
Filed: March 4, 2002	)	I hereby certify that this correspondence is being deposited with The United States Postal Service with sufficient postage as First Class Mail in an envelope addressed to: Gommissioner for Patents, Washington, D.C. 2023 1, on 7/2000
For: SEMICONDUCTOR DEVICE	AND)	
MANUFACTURING METHOD	)	
THEREOF	)	

## PRELIMINARY AMENDMENT

Honorable Commissioner of Patents

Washington, D.C. 20231

Sir:

Please preliminarily amend the above-identified application as follows:

#### IN THE CLAIMS:

Please amend claims 7 and 11-12 as follows:

- 7. (Amended) A semiconductor device according to claims 1 to 5 wherein a side face of one of the source region and the drain is aligned with one of the source wiring and the electrode.
- 11. (Amended) A method of manufacturing a semiconductor device according to any one of claims 8 or 9 wherein in the eighth step, a part of the first amorphous semiconductor film and the conductive film and the second amorphous semiconductor film are etched with a chlorine type gas.
- 12. (Amended) A method of manufacturing a semiconductor device according to any one of claims 8 or 9 wherein the chlorine type gas is selected from Cl<sub>2</sub> and BCl<sub>3</sub>, HCl and SiCl<sub>4</sub> or a gas containing a plurality of gases from these gases.

# **REMARKS**

Applicants have amended claims 7 and 11-12 to correct the dependency. Examination on the merits is respectfully requested.

Respectfully submitted,

Eric J. Robinson Reg. No. 38,285

Robinson Intellectual Property Law Office, P.C. PMB 955 21010 Southbank Street Potomac Falls, Virginia 20165 (571) 434-6789

# VERSION WITH MARKINGS TO SHOW CHANGES MADE

# **IN THE CLAIMS:**

Please amend claims 7 and 11-12 as follows:

- 7. (Amended) A semiconductor device according to claims 1 to [6] <u>5</u> wherein a side face of one of the source region and the drain is aligned with one of the source wiring and the electrode.
- 11. (Amended) A method of manufacturing a semiconductor device according to any one of claims 8 [to 10] or 9 wherein in the eighth step, a part of the first amorphous semiconductor film and the conductive film and the second amorphous semiconductor film are etched with a chlorine type gas.
- 12. (Amended) A method of manufacturing a semiconductor device according to any one of claims 8 [to 11] or 9 wherein the chlorine type gas is selected from  $Cl_2$  and  $BCl_3$ , HCl and  $SiCl_4$  or a gas containing a plurality of gases from these gases.